

```
%PDF-1.4
%档案
1 0 obj
<</Type/Catalog/Pages 2 0 R/Lang(en-CA) /StructTreeRoot 21 0 R/MarkInfo<</Marked
true>>/OutputIntents[<</Type/OutputIntent/S/GTS_PDFa1/OutputConditionIdentifier(sR
GB) /RegistryName(http://www.color.org) /Info(Creator: HP      Manufacturer:IEC
Model:sRGB) /DestOutputProfile 506 0 R>>] /Metadata 507 0 R>>
endobj
2 0 obj
<</Type/Pages/Count 3/Kids[ 3 0 R 14 0 R 16 0 R] >>
endobj
3 0 obj
<</Type/Page/Parent 2 0 R/Resources<</Font<</F1 5 0 R/F2 7 0 R/F3 9 0
R>>/ProcSet[/PDF/Text/ImageB/ImageC/ImageI] >>/MediaBox[ 0 0 595.32 841.92] /Contents
4 0 R/StructParents 0>>
endobj
4 0 obj
<</Filter/FlateDecode/Length 3746>>
stream
x 湧[K 隴??0 AG??只€? z- 擦- ?
c
```

纹?瑤 5& 扣掙 RKj ； 鋹役 F?Y, 丌 \$ 彌???岬竈濯鬃? ?栈琰与甦\_?~麩 ~x 魴縷| 线  
锆 tk 軫苗棗 华} ?B<sup>⊥</sup> ?>>@%?TV 諺晔@韞貊渫  
Q 颯縹 頔跽髡?>>

?  ?崗黠嚟儻?址樓髡菓縠]]  |  |  N  否?曳L  ←  X+  ?翕???姪?鵲  鷺R??鷺<  輦蒞?>>  化VJ?  
鑊??搗?骸

!! ? 札 yM\_U` 闾 W 籟鑢 醞淙?r ˆ v4 ↔ 85?筭辛  
a↔ }F 窈]C 薜 1/┘ 憊 v?" )/j 鞵"銀 K 秩??璫錄 JoAv??e?卜?殢氈<A┘ d 衡櫟??翻 A6 牝?  
柞 y?\d xZ 蓓ヅ 8 輻 C↑ ^?劇唢櫓辰廬 B?? {BR?弗改?>?獐~r 陞' ?旦磧 1↓ 膩"d N?]??M 綱?  
釘.k 筑您啓銳秩?@

o C拈? ? ?<sub>1</sub> H#碂??7 蠱鰓柴灝瓠 t7V↓ F9 樗?Y 蝶?殪?潏醢◀ F  
r?%俱<sub>⌈</sub> 殆生 H?q 撇墮}-戌 wQ?? ?钳鰓润^?强→ s&W 玆 WM 终 €:。?嚟藿鵠 V<sub>|</sub> :峦:轹?]ZF  
莠 €9?5 愛\ -邇  
秣\ 嗚?隕惶+ 僱?@縵糕? € ;?潏淋. 钊滌 6m b 鍤鮎鰓 N' V? 儗龐<sub>|</sub> t 鍤飒抵, 虻&km+ed-<sub>9</sub> ??<sub>1</sub>  
幟?GBo

25,

P 哏<杖=t^┆ mE#┆) vK8c?P 詩筇赬 Q\_=?黜???5 阡蒨  
f 浜 s\

!衲?→ 榘鉏~y 鷺揭薙燠垓刖@;刹 18/↑ 0?’ 鑾?\_ oEV?鄮嶼 09 齡設- Ji┐ j 鱔 E 嘸窠崱 ?嶗妈鏘?  
蠣?瓚磨??p?璫儼- 隅业?胖謫|堦 p 銖(细瀟昝 \*”?┐ ?↑ ?焮?<戡→ \?G 倜?┘ 惆 F8 慳-皓硃  
瞢?z?t 梟僇羝!! ?nP ]<sup>┐</sup> ?Ec, ?┐ X 脍?z 膳?捃飀!鷄  
姻 Q9?僑 L 廣 w? ◀ 嶻??u 模^0 弋<sup>┐</sup> 1Dw m  
?\$  
@獺

b    ?( 嗟槽 j 怀' 9w?Du?鸾' ?mg 硃 b 秘+ . ◀ ?5 稅

鎭揆 A)?S:■ 聃锤 m  
?5→ 轉`跂穗     ?y   n  
}0DLv(扫 p 闡 bᵀ z↑  
輩?姁<誑倪??w 棺 VI?团頓劫隔, gG:E??n?甯駟?塔?H?柏鶯店\zK(   i? ↑ 殭脍罍   Q&J9(?份蠖  
获   ?贖 8D   -x?4a}#紉襪\*?u  
澱飧 bX?糈胙 XV 越

鎡??&師}?駢鑣 M◀ 丁<sup>⌈</sup> ??迥 m 鵬?鋒?脩<sub>┐</sub> 猪<sub>┐</sub> v!! 胥`炆[搆櫛- #  
e 莢

|鄭?\$ 2 薊俱柜寫┘ <战 N 惟 -夙- ?;贊<sub>┐</sub> s 陞<sup>⊥</sup>┘ 偃“ z7?o∈3 荡 y 蛸  
? V? 巢鍊 X s2

γ 蠟)(^鐔戡饨 b 喷硇 2D 紉 Q 躋 9? Lv 字↔ &郊嫫 WYb 怙菡巒峒 J 藿/? 輜 x 舢  
苒?T#僧績輓@迹^習?d 矜掃 2?跑◀ 摳嚙隘| ??蛆  
c 钙⊥ +1~x 米- A 滌侶錄耜?偉粦 zh5 英`赚  
%\? Z 妊?'潤 TP;?及 FTJ 跼躅??\*漫>錄 姘醑?磽 T

■ 蛹<機 MGX] 要壘 J

砒[v 酹 aHV 谈 s 丄 | ■%?眠 | \??繆③倜稱]謫  
XQ 甕 姨) 簪

┘ A??躡[𩶑^铈 rZ. ?乇偌 pC 濲[?缥?〃?忡 5r 茱 x} C} Q↑  
—

碗 1 罽焗 V 禪 € e6[eec??護儉?詐→ 歧@僭↔ 莫→ 丿 q 粲 m 糲 e7J 藁#e, 7- 獸 56<sup>⊥</sup> / 巢漣 5(k 萌?  
 駉嫫潤行 濁 Z/0?- (:]wf 鋌 r?Lt 丈?ck↔ 愔%¶ P 糞??c 浮 ??Z. ?牠愔~蚀 b 滹鉞 h`蘊?q b

jp,D 躋菱C 踴凍6rU?奠 UnF 膊< {闕傾 LV 矚+緯鰭 ?痾 m 娉 I 諳戛 h?’ C!! 2t~◀ 疎 tTI<sup>L</sup> \Qo  
噓 jfEM 漪 €J 茫?稜矣 h?>桢?趺 y ?

7??S 鷓?2{U 粒 tk?鰲銑樛\?服 V 溫- 0}4<A → {=?  
?ㄟ 1 慕\_nT~&霏?純褪?鹵 Tfj<sup>⊥</sup> C<m%遑茱讨<sup>⊥</sup> ??g 駝 9 靡┘? 药尅 ?┘??A 嵒蚵%%扶<sup>0a</sup>]F  
阢?錕茆迺气櫺 ZJ↔ { 詛洩?替淵%厶?躑 L 磚 J-貉 t?!qW?Q 猓 Uq¶ 摳鱗?, 張 j;鑲 4 崕?查](vF  
┐NHx)<sup>⊥</sup> 暖%] 妄擡?I 铭役怀铮帶闊┘ <渚 fE 衰??畱 Zlk\*<€ 尸??7 ↓ 冒)Z!! ?9d?A 《@  
鷓{qMEP 巖蕉祥 J 鹵;掣 m 情?o, Rz?h<sup>⊥</sup> G?詢?¶ }?[义 d>湊 n 捶 Z2(x? 0 ?鐺 6\$ 欽\*- ?  
俚??N 馮聰↔ 阎 F

鷺春撥哺↑ 郇钗赧?↑ ?y?↑    qf- V 庀軒    ? 鈐趨 k+F 親 X 𠵹 𠵹 𠵹 9?

,卜\R↔ €0 十潞\靺㐁I}y 誼卜 崑 ( 杏X 鉸儼 dW 薈??K 硃 4in9 媯醞犧?影綽鈴\$ k 恹隄擎  
5\,o 餉旆?歎棵耨蠟 aN 蔭?↔ 奎征砗(tX^?⊙⊥ 琮貿?† Q々撞骀襴 :搦?? ,^↓ 卒捨 4颯 7  
荼  
??`9 茈 M?刪 1 蛄 1 溘熨◀ j 一祖㐍 伙 M(?い 謔

铍樽

十 %' G 镶晨柵 卜 H: フ K 功 78 嫔妩杞 Xe 賸菡-) ← u 瀝悚 ∠ 剔茅 b 鰲輻 p\$ 簪雏` 插??↑ +? 翊诃?- N  
郭暢創婕碣闕 F' [k?=??>' ? 鎗 L

??<? 揶; ^?q 苧,z`т VII<sup>⊥</sup>h 洴漈鵠劓〃劓铨?{r?Z 蓍 q?蕩?M↑ 恹↓ Π((⊔ W?  
紉?Q!! #50h L↑ ?句 tIs ! ;悞  
藁Q裨[

Z!TX- 貽锦 0yv P;框焔?蕤駸樵 d??\{罗?癰複↔ 算聃?覷 z[? 紘閤-?I

佢

謙銓!! 時^?!! ?涕霰?=0 ?蹂嫩

?稀%E?癲礪??b 箒 丿 e 揩 I?僂  
醞 I 岫撞-W 甘└ ??└ 5\*?j 块榎?7n 笑 M→ 闕鮒撈 j?^) B?e  
3}?w└ 哄 nP?蓴 h◀ 鄮 w? {?X 窳 s?島?的<j 牕└ 谊笕 8i 璫

蟪蛄邗+ k!H?為\* 𠂇癘?赧?G 闍 濛閱- 駟 t 𤇗躡瀋鱗 TA€沛 s ) 禳 Wp 獮傾↔ a 鵠馳佺俄今  
菸 I~ ?dR 粃} < 恣← \$訂癌}@罇 5 寄 6 替 3(

啵?A?袒〃◀ 抵煊珥僧 m 龔\_R 滑戒→ w 鬱銓 u?0- 8.|?蛭└ ㄣ 蝓 c&#湊黍 0 蠙?BXzoFY 弨  
0┐ +?0e<Z 駟紛 W:徒 1??睥?⊥ ?限种? 瑩 筌嫫??

M?5?gC 衍\ 蠟

3 炜 ?<sup>L</sup> ~)&' dq?洹 o 莞<溪 U



```
!! 七
endstream
endobj
5 0 obj
<</Type/Font/Subtype/TrueType/Name/F1/BaseFont/ABCDEE+Times#20New#20Roman/Encoding
/WinAnsiEncoding/FontDescriptor 6 0 R/FirstChar 32/LastChar 51/Widths 494 0 R>>
endobj
6 0 obj
<</Type/FontDescriptor/FontName/ABCDEE+Times#20New#20Roman/Flags 32/ItalicAngle
0/Ascent 891/Descent -216/CapHeight 693/AvgWidth 401/MaxWidth 2614/FontWeight
400/XHeight 250/Leading 42/StemV 40/FontBBox[ -568 -216 2046 693] /FontFile2 495 0 R>>
endobj
7 0 obj
<</Type/Font/Subtype/TrueType/Name/F2/BaseFont/ABCDEE+SimSun/Encoding/WinAnsiEncod
ing/FontDescriptor 8 0 R/FirstChar 32/LastChar 82/Widths 502 0 R>>
endobj
8 0 obj
<</Type/FontDescriptor/FontName/ABCDEE+SimSun/Flags 32/ItalicAngle 0/Ascent
859/Descent -141/CapHeight 859/AvgWidth 500/MaxWidth 1008/FontWeight 400/XHeight
250/Leading 141/StemV 50/FontBBox[ -8 -141 1000 859] /FontFile2 498 0 R>>
endobj
9 0 obj
<</Type/Font/Subtype/Type0/BaseFont/ABCDEE+SimSun/Encoding/Identity-H/DescendantFo
nts 10 0 R/ToUnicode 497 0 R>>
endobj
10 0 obj
[ 11 0 R]
endobj
11 0 obj
<</BaseFont/ABCDEE+SimSun/Subtype/CIDFontType2/Type/Font/CIDToGIDMap/Identity/DW
1000/CIDSystemInfo 12 0 R/FontDescriptor 13 0 R/W 500 0 R>>
endobj
12 0 obj
<</Ordering(Identity) /Registry(Adobe) /Supplement 0>>
endobj
13 0 obj
<</Type/FontDescriptor/FontName/ABCDEE+SimSun/Flags 32/ItalicAngle 0/Ascent
859/Descent -141/CapHeight 859/AvgWidth 500/MaxWidth 1008/FontWeight 400/XHeight
250/Leading 141/StemV 50/FontBBox[ -8 -141 1000 859] /CIDSet 501 0 R/FontFile2 498 0
R>>
endobj
14 0 obj
<</Type/Page/Parent 2 0 R/Resources<</Font<</F1 5 0 R/F3 9 0 R/F2 7 0
R>>/ProcSet[/PDF/Text/ImageB/ImageC/ImageI] >>/MediaBox[ 0 0 595.32 841.92] /Contents
15 0 R/StructParents 1>>
endobj
15 0 obj
```

<</Filter/FlateDecode/Length 3772>>

stream

x 湏[Y??~` ??箎觶€ 牯 A 8 眈< ~P 離?

← 丿 莎 0 申 a 鱈?+ ；

?菌陬琬忖/?~ 弭墙 s 蛸醺? 酤 y 蛸 洮啐鰾熅 ??键蝙芋 w  
齧 罍樸 0?濶 w??浣標騫

p↓ ?NVuB 險佢捎簡拈’ 圖 0H?禁沣脈 襻/瘰 ?{揺愈ら-圻隲栳? 蓍鱼<sup>L</sup> 砑腌 }← ?  
\$媼\_耽?曹庞鯈 4 3 潤线搜? 0 溟鬍>| 趙縛? F(陝  
塋?J?讎\$桺 o?<sup>L</sup> 来- ;)e?=, 噬 I 甌<sup>~</sup>{>琅緋?o-

:av 捨律 q 閑  
思鶉 O\_ 砵蜆濑 B† 璽磔?⌣ WG 嬋 E YP 績 v?⌣ 襪 o?o¶ L@癯 zY 悵 I  
K 鰯 s|璽哺璫熊)A?gz:漿\_}↔ 料忝缙/6 慨滌?%%t| 翹 J( i 扩(樺滛:?- 玳綈?笋 z I 匏  
⊥ Z%  
+悵 U 猥- 4 ye?u↑ u ◀ QV 瘰 k 𪔐蠡 y↑ 杪滌? 是}蕝 2t9 Zk 女\$⌣ 含 ∈ Q 肫 F9k 堪 o?≥  
怵`|藻?~Ut A \ )- 顏' %pC 焚饋袞!  
穫⌣ )鑄 4^?搞喪^1 鴿 ?W?:刳香%- C???H%

¬ zC?垃\$峰€ - (→

→ ?鴟 5B 綖 z 腮 h`麋.7:亩漆 Zt<sub>1</sub> ?U?瞢嶮 菱?| vX 沼=??埵株 D3"簏激?q 澈<sub>L</sub> 冖<sup>L</sup> v1 諫彖!ス  
X┆ F+ ◀ /+ ↑ 輒<sub>1</sub> 賃 峴→ 伋?锐K 恣崩皞#??3 籥戠は (v 經欽- 悖鯨鷗<sup>L</sup> \S?? ? A?[- 俟薏借  
@| 桀 8 譜 H?◀ 滅? ?Z- ?菝 席呆鯛?€ c

u(q%?鉶? F ?

?翕?勿 3!! ¶ k 鍾櫬↑ B 0rx 訴篩 G?iZ 糖 y? W 臼■蹤[?馭 z?劬莢<sup>⊥</sup> L 岁 x?nF 宵@\_ 怎 r 嚅脰  
觥?歛簍 Z 拘 Q 郢 NOLE 嶽睇蕈\_Q7;凜 W?閤梯 Bo 驚せ L 娉  
◀ 蝗 gJdR 土箫 銛 K 鎔 z%⊥ 睇 V 瘦?藁筵?勳?⊕硃<sub>⊥</sub> ?⊥ ?煖 ?碩 s?鯢 ◀ ?;6PL 鵝 鍾  
蕎?→ h◀ ^a 祿 S 乎?ec?&擗寔搵?r8 閔- z 齡 w 蕤蔽??F

漆糰砵8`?癢Y`↗k,↑D<sup>⌈</sup> みiR愁楸/?!}聒\僥糰礪!悞毀攴徊w蕪j樽!?G└秧%H 簣3遠C└  
掄€  
貶??漣 U藥&縟窖調↑フVG4b 倘?e3 耆Ow0 獬<sub>L</sub> ?`y效鋤 ?0└ 嬖uTk@\*K?!hT鴉f'糝?M尻蕘  
@?s<sup>L</sup> 闕Y<sup>⌈</sup> ??鋤y└鰐崑f贈 18

成 j 束, 媻醺+迥?iX 鯪=十Ij└ r 讀)Z 舛 V\$役 C 蜴 与惣← 鐸?臑?┐ 擅? {◀@1 , 轡?5 4 罽 9 譏  
 到?APBZbN

w 俗 嗥 t 鰕\_魔&仇鄣 1 韓?± 睽埧??璜 2 鲋E 言 礮掛谚 52g  
? + 礪 0 括 F m 鉞 M 刎嘔 Q

\*N?\_?!! f? τ ?y<sup>⊥</sup> 3?亘?sD 倪槁?骰 H?璉均 V 鏊?P 頗\*◀<sup>⊥</sup> 瀚鑠於}

f 障ウ??轻 Vc5` 榆?n??媯 B  
B 訥

被+?b 庀?? ? 姝?&|Za 撒↑ 洛 T-∃ {pUK 提 6wiX 蒨`U 啓 Jp  
𦵏 L\*𦵏? 𦵏 D 𦵏"- - ?4 𦵏?DRc↓ Xe??fn|m

骝 L 子 K? 慟↑ 迫 M\_?(!! 徬`6? 璿 Po 邇→ se`Ij?? 孜 N 桢 Q2? 免←  
肱 7?\_ 梗泰 E 畠' { 酤訶錡 b← 試漠+块 替蠹 Ja&3 禦. 嚕  
\_5 鐸 0 鬻糧 YKk

紵"產<sup>丿</sup> fb 倡  
熠娶 1?移?奎@F?b?@幕<sup>十</sup> v(&戀筭???攀铜镭  
a?卜,↔ €<sub>¶</sub> |?r<sub>┐</sub> a?↑ 芑,矯箒  
p?→ r: !旋]J<sub>└</sub> 5 cc 膠檳玼

猪?羴 K??J?根

I 嶸 (0 毯' 角?鹤\*賊 v 𠂆脈 ??      N 俟諂 M3w 愼 v:10 獲熨倅' ?秧 1+簋磳 X 鷗霰?|顛\$

???/??A, ˊ ]?璠悔 斯?+ 卜 >?&晁?P 蓍?總捫e 炮N?謂?吻瓊→ .Wm?s0? v ← 裕琰E 擡?G 賁ˊ BxM  
鯪5 芑 &佞[ん ↓ 霰蔭瀋%沚 QSjh0 + 1sᵗ ↓ K ˊ 8 dˊ U" w!ˊ ?b 嫺- 醺 f 從貊鳴?Ly 槽潑龔  
X 倣#[c 色略! ?n€H 再 Cb?儻??抗+ ㄣ 187K 爰誠畔悖倆淙溶妍菡` 眇# 孌櫟  
?Uˊ I 揼踞ˊ :?E?耗~?+滄 聯? . ˊ ?fI~" 翩-磚窠;怎岔! 焮强. 詠默??P[]pm 殄|ᵗ ^DH 稽郃君  
→ ?2?↓ ?S. i 鎬<€ 鱈碭聞&?ᵗ eB{ 塏+ d% m 爆 J 髦桅";7?ᵗ 捩玢𠂔| 模 m → 楹 ㄣ ; 蹠 8"+ 尸  
Jˊ 1 擄優許圮#^? 9? ?舩?8?贈 Q- { ?1 東諒-匱 胜ᵗ jm' #享 Q?s/学)  
9 鉗髣◀ ⑧W 堯 A 鈎#T 賴 m&\*瑀#秒逐侵 Q 髣 蛄朽 g 砵 Qqᵗ 戩 A 聳 4 賁?戈^rb 蜉+ ?C?M 訕 z>i\*  
咤?摔? pr 噯忒栳統 w 衲湿 6?BH|F0 遮撈 5 決菡姘?頰+  
驪?vt&?j, 尅庥 J??) B+ 菽漆 e?' S?#專 t\$)x? s◀ Y+T?F 偷苕荖?卑蝠茆 H, 墅 詒 € { 爬 潑  
@SF?C?蚌 ᵗ 8 么 d?? "h" 寫陷?%ᵗ ?)!??k 根?cN 翊/ᵗ z?潛 c 沛?c 鱗 d 個? ?◀ 滋+ ?◀ 蹠 檳  
賢 m 說 n@I 協? 趙 r 蛙@;?C 佼陴. ?S 跬. 駝?L 懷勃況 n?鯽 a;+ 6 筋柎湮) 蟻ᵗ K??敵踟 Vm  
?e!\?~曉廐 P 瀧 E+ zU↑ 1◀ ?  
???? 檣芴`?翊- ?u 苳 wD ば 芑& 顛  
匱团?@j?↔ VIw 豹歧肱-ˊ

卜 續拔櫓

待=?優 q?h 鸞 r 締 sg?? 斟???:負纖`

- 60{讨駢 W"¶ ↑ b 杼+ " ?騁!7 潯跣 W 琦 v 驂襍諺;k[>?

?j 𪗇 1-XU??卿 r?湮:\*kdc?ナ闌 S 𪗇𪗇 鈞娘 8VG 𪗇闲 8 𪗇?禛 C;??R} 𪗇 aZ 2a 𪗇 Nq? Kr 姚𪗇  
R ば{?ト 𪗇  
𪗇%, 𪗇𪗇 81R^?U↔ 𪗇 v 𪗇𪗇?`. 𪗇𪗇 nL DB 𪗇[ v 𪗇𪗇𪗇𪗇𪗇𪗇𪗇𪗇𪗇𪗇 𪗇 𪗇𪗇 y\𪗇-k0=`R4 𪗇)→ ?0? 𪗇  
𪗇@?𪗇𪗇 ?𪗇𪗇??𪗇 1q 𪗇𪗇??\𪗇 iY18 𪗇𪗇𪗇 q 𪗇𪗇 ?𪗇姚𪗇 W 𪗇𪗇𪗇 Mp 𪗇?𪗇𪗇 pnk◀  
𪗇?j9 𪗇?𪗇#?0

?阌聃 dq?-S 骺醍吗~?, UFkwj 吮 Y 嘑?- : 銅柠 p 弱凌拒嗤?\← 耄骹?=颍窠; 梁u收鉶?S??cR?d?L?  
懈誕  
a3 械 0 擊 € 纽睨~ jB 降

┘ 礲\  
貊?A &訪適)

→ !! ?趣 s 嫫沫監噲櫟 I!!

z 鰻 ?Hk!\$7 葦 B 旆し X -?雜洩 Z} 椽? 郤?僑 Ru 拖◀ 駟?4↑ A?? 丿 楡\_广 V 熒 1? ??鵑\_ ??

鋅 Jw 酖?駢贈 b 同蘊熈 潤 yb1 拌← M 胖患?讖

配(薺)tV6 舫 1 𠂔.番十 姣 p 器 1 癰[-冀越锈 gzBS 号 h

{?⌋ YJc0?V 泉 J 啮 R⌋ @枯 [曹掇{→ ??鉉莠 "[@? 洞?穉??錫磨軌 0. 齎兴| 劑?4 籽 "z E?  
氛 P??PR+X?⌋ 妮 騁 uz 讓` 盎樸. 鎖闖坏旂}}'?繫 L 浚??痠价 '?! ??俣 t↓ 闫燼 7⌋ ?] 痼 k  
黏:0?虚辖键葦 S7?&l. siv  
淩 yh  
endstream  
endobj  
16 0 obj  
<</Type/Page/Parent 2 0 R/Resources<</Font<</F1 5 0 R/F2 7 0 R/F3 9 0 R/F4 18 0  
R>>/ProcSet[/PDF/Text/ImageB/ImageC/ImageI] >>/MediaBox[ 0 0 595.32 841.92] /Contents  
17 0 R/StructParents 2>>  
endobj  
17 0 obj  
<</Filter/FlateDecode/Length 3200>>  
stream  
x 涖\m??兕例圖 x ?Q⑥媯 驢碯始 v?F>俯悚 h 貧?H }I 蚺 nfVFZ]b 梅{{诿#娟鵠:?煙~ 莘 0  
彰脈箐蠹埏?砵{邁 zz ?鰻~ } 慊??}? <飧悃 00??>Vm 遑頃躐?\*\_靳鋸- \*A ??↑ +  
植編 ooD 鰻奎 雅]跣 7 諱?擲

晒焯 o?緞暗 6<sup>⊥</sup> ?盍~  
 胡 鯨颯 VooXS?緇錄 縻 }悞)k 校垚囟鸫  
 \_uUu 5 浸

}%?轟銓覲 W { ???V 壁謂- h?

仇 } s¶ ª 龜 T{?&?k⊥ 挠?W 碛舛 T?撼  
?<掘

丿 :%?麦^ ;敌匆 M?G!泻餵鰕闫

┆ 鎔",p局j+砵?↑ ?M?;靚擯<2鎔↔ 鎔?桔(→ m? 綫^w84^

圖 4F?吏 N9h€?d 嚏 i;~Mv¬

F?鎗-鞞 簡6 !! 檣苙)驚aw6I┘募? 裊- a 疰?' 汎樑 磋e//?:?iA 歛40\*+?Ah/聳綃e?貼b  
┘ 焮  
?~堯鋤撤艫 ?' m+W`+rN 燿c 籍外<柜??;ト

ㄢ q? !! B 垵?/- 呢 J 机?嫫 N 淖 m 蕓 a 秣 秣 5G↔ . ?记愁婉叶|宸 (Yn 尫 w 焰 c16. € ㄗ N8 伽 酩  
 c#??€ 謨?貽ぶ<sup>↓</sup> ?t 澆癘脬 Y 蕙↑ ?ewm?蹯 v r?2?hq`稭 Cl 刹<sup>↓</sup> 絋澣 J5B?瞭?RZ0 渔 Q?湮<sup>~↓</sup>  
 s<sup>↓</sup> aR 寒劫( 玨 A 粘 X 唬<sup>↓</sup> 鮎粉睊>F(黼硇:?=麤?Rv:諛傳?嫡膈- ? → 台 E?癸ㄢ 鑷 1 椋 t  
 ZW{降 Z 滲 Y:3]\*p ~ `!.FA3 8 ?P 拊莒コ艮^e?Q?

3 兹??吧綴采菲- 功 1← 罐~伪↔ 2j

C×→?!裁麝\?GvX`^?X 郭(s 獵^ 斧 A/?\_琥℃档 y? ?9 害窶└ #  
Q L`涕<LW)濇纂猿毡 u 柎值 vdwW;0 驅+ ?櫟|麋幡胞哇{聿芻?L8]?s%?C└ 8 蔭辮 燂竺 D 梱 s\*  
敲算蛸]唯甌 1 聊娉舄澣 g€- f 臙?L  
??抨悻&¶ 3 妖 M¶ 矛 k? v 旡忽 L 终誥暘 wu??カ!! ??措└ W?但麓 h?r  
峙 o?窓?S#諸 W 尙?I

莧┘ 櫟醇-抑 瞽稞 \_/鰱嘖题嚶?J 舛 R 爨 x 厓蹠 98?{綯 k?噁^B?qK3??瘡蛞烏}瘰

月 o 炀節\*” j 獎驛祿?豐?韓 e 僂樵櫛 e=γ  
 鹹 K┘ ⊥ k 錄- ?|8 裏搶 S??2 桐十q 賠顛?至 8?hγ ?’ 劍 ?Q 禪 0⊥ 馬?- 莫崙?- 沟傢ϣ┘ · C!!  
 蛭拒詒← 吹\_撻?廖?跚芥よ B#T┘ ?激蟬?S 硃 cx┘ iγ . - o 漫 4k 鴉 g 喽 Lx 泛??哐- N 飪 FL┘  
 纳  
 C 舛醯 ss 鏘 H 琰 C18 蓓 5?kdm 棟?破← Z”G 撼 I┘ : 嘆  
 遂} 倬 8  
 ↑ ?-┘ 扇 uY?8bT} 伏拜!霧 y&?sw 芴)  
 磋 :1 榎些哎~攢?gn 翊 G 狽裊诸墮 8?蕤 n10?髻耗 j+圉- !陣頡 ?鮮?嚕┘ ?嬖↑ γ 螭驩~鎚↔  
 媼 4?;mV 燧ϣ )?Nb 窺蠡偈?I 螻咕硯? Dj↑ e

R 罇 罇 x 罇 罇 罇

並;惟藿蝽7茺Q钜C?fq I?>隳u?=縑UEm?| ; 冫;)钕旺G迤悻?绂鐆圪R,c?翮??fg- c ㄣ-  
 瘵稅Y?窳際碣07- 冫|倨?槐橐!U軻5 屹 j 鑄畧←(#鎔崴-7?邵F┐ <→↑F z↔ 瞞 磁?  
 輓 -i 𧈧<sup>⊥</sup>蛭N† 鑢詔賂甌鏟翳6m詢- 粮Ky[← 𧈧V裹h珥 t<萁烁?懔GC b6 玆5^8輓棋Y!  
 漿涂𧈧濛痈?震B7#粟?1&笏CK 𧈧煨暖舩桧最莠瀟(?G- ?7?qhJ 刁pi3Tj %- Z^:%Z? ;

K 祿 憊 莖 鉶 v?溺 羈 菑 H↑ ?^嫺 x?礫 j

h← \$[>疏[+ 蘄 C   tv¶  ?YM 淞枝茵??卜 冪?蛭珞矜蛎邛闇 C z6 黠^0|. 刈豐-3 賭 HG; 燐 S?y 獠 A-  
瞞&L 黠 uCt 佛?B- 疥塆#柎<徨櫛\$o?@q0 簌?bv 州

. 銑甯劃烹 I1N' 勢極?T K?)0?塢  
┆ 畠 qT s 半?懂?j  
"3e??&減沅 j 焯 xBC← H    ⊥ ??^◀ ?

\*呆.

C> 猗)嫚 h 泮嶝→ 鲭?册 f?⊥ e0%\7 轩ϥ瘡 j 饁 C 畝負 C 骅綦 € i??埴式猢賴 S 倭?鸬莢}? `?  
籽槩程?Q 彌 <<b

’壞p

↔ h 獐巧→ 棧C 狻惹 r?E\?痢<sup>L</sup> >c?p↔ E 艸\LC9)D 鄭<-?鈞!! ?殺<療??BymD 舩⑧?嬖d 珥??炆o  
錫瑁J◀ v 墜:W 沅D 跼?Q?O 费唼W<sub>L</sub> y 宴r4?7

?I 兕\[?剖 H 蓑+絨

捐襪 ？\$e 林軒 x:迤6?E7?\釵?\_\_睥痛- ~奢\*?靺屺 r 簌?嗥买?俊潏咆hVF<sup>⊥</sup> 胥%?g 丿 ?妃|  
M 蕢 vvE 鲛?C 儒 k=厶/\\*+ 世枋-?- \_t%R 顛?\_↓ 涤} 谁埕??崕 po?x\_tQ 釘 2ky\_↓ 膜盞袞/  
塚礪炤? Xte 隰丿 丿 鞣纁 I?\_訥↓ 涉? }?OC 億)褊 𠂔  
衿 塿 C@\_Rn 顷

■v=- S 啤 R? (E??5r\ 爻 譬↓ 術+鋹ᵀ n 洄??胚 V 梟迪 wnx?讖蜚傳 z 戟↑ DID??覬 WOS?n 璚]  
蜚 H?联 bK 髌 1?N 攔← B  
H 媼 2 匿!! %糖 Xj??觥 C#<Qw

] ?M↔ \*;M 嵯 | 瞰? =ペ

N← a?<=燈 o ?4

:?~襲碩糖◀ 蚤鴻湊蝨愴!! OR 簞逃 —  
Q 姚?蹟专 r 綬?瓚?友嬢 W???ギ?圪 I 糲 n?)<鎌^), N!! 郵  
† zv[i 櫛↔ 捥=消踏 H8?>秣綫 y? 泚?x ?Z0Q 鈺蠟?(鹵唾↓ † ??!! %. 饑蔦轍>9 劬窠20.e 饗↑ 睫?  
緊褊絢^ 緊眼絵 2 錄 ?M 壺餹??k I??En 犇 E?疚煤?鄮錄犇 e 鄮 虜鄮鳴犇← 飞 0b8 緞煤?鄮 V  
舳/快 F| ヽ E|轆)xU 溺]Y?\_夙 R 鈺捷↑ 1L \_d0S?魍撈?/甦 f 狽:† +TB 汗† → 嗽 p?A 鬣 k?⊕  
◀ ← 唼銚. .J 蛛隔 u→ 喳駉?-遗-????I 鵲 u<sup>L</sup> ZU 辦糝/?樋 硇隋? 鉅峽  
endstream  
endobj  
18 0 obj  
<</Type/Font/Subtype/TrueType/Name/F4/BaseFont/ABCDEE+Arial/Encoding/WinAnsiEncoding/FontDescriptor 19 0 R/FirstChar 32/LastChar 32/Widths 503 0 R>>  
endobj  
19 0 obj  
<</Type/FontDescriptor/FontName/ABCDEE+Arial/Flags 32/ItalicAngle 0/Ascent 905/Descent -210/CapHeight 728/AvgWidth 441/MaxWidth 2665/FontWeight 400/XHeight 250/Leading 33/StemV 44/FontBBox[ -665 -210 2000 728] /FontFile2 504 0 R>>  
endobj  
20 0 obj  
<</Title(?w 鉞胤



Nf            "w            鋤            畝            Jw            鋤            u)            /Author(sjh)  
/Creator(? M i c r o s o f t ?            W o r d            2 0 1 3)  
/CreationDate(D:20160318092326-04'00')            /ModDate(D:20160318092326-04'00')  
/Producer(? M i c r o s o f t ?    W o r d    2 0 1 3) >>  
endobj  
21 0 obj  
<</Type/StructTreeRoot/RoleMap 22 0 R/ParentTree 23 0 R/K[ 24 0 R] /ParentTreeNextKey  
3>>  
endobj  
22 0 obj  
<</Footnote/Note/Endnote/Note/Textbox/Sect/Header/Sect/Footer/Sect/InlineShape/Sec  
t/Annotation/Sect/Artifact/Sect/Workbook/Document/Worksheet/Part/Macrosheet/Part/C  
hartsheet/Part/Dialogsheet/Part/Slide/Part/Chart/Sect/Diagram/Figure>>  
endobj  
23 0 obj  
<</Nums[ 0 27 0 R 1 188 0 R 2 325 0 R] >>  
endobj  
24 0 obj  
<</P 21 0 R/S/Part/Type/StructElem/K[ 25 0 R 28 0 R 31 0 R 34 0 R 60 0 R 67 0 R 73 0  
R 77 0 R 79 0 R 83 0 R 85 0 R 91 0 R 94 0 R 97 0 R 100 0 R 109 0 R 111 0 R 115 0 R 126  
0 R 130 0 R 133 0 R 139 0 R 149 0 R 152 0 R 156 0 R 167 0 R 172 0 R 179 0 R 181 0 R  
184 0 R 186 0 R 191 0 R 193 0 R 211 0 R 213 0 R 216 0 R 222 0 R 229 0 R 235 0 R 237  
0 R 240 0 R 243 0 R 254 0 R 257 0 R 259 0 R 263 0 R 273 0 R 287 0 R 289 0 R 292 0 R  
296 0 R 302 0 R 304 0 R 307 0 R 313 0 R 319 0 R 323 0 R 326 0 R 329 0 R 333 0 R 336  
0 R 343 0 R 350 0 R 357 0 R 364 0 R 370 0 R 375 0 R 378 0 R 383 0 R 387 0 R 398 0 R  
402 0 R 406 0 R 410 0 R 413 0 R 416 0 R 418 0 R 446 0 R 451 0 R 453 0 R 457 0 R 459  
0 R 489 0 R 493 0 R] >>  
endobj  
25 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 26 0 R] /Pg 3 0 R>>  
endobj  
26 0 obj  
<</P 25 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 0] /Pg 3 0 R>>  
endobj  
27 0 obj  
[ 26 0 R 29 0 R 30 0 R 32 0 R 33 0 R 35 0 R 36 0 R 37 0 R 38 0 R 39 0 R 40 0 R 41 0  
R 42 0 R 43 0 R 44 0 R 45 0 R 46 0 R 47 0 R 48 0 R 49 0 R 50 0 R 51 0 R 52 0 R 53 0  
R 54 0 R 55 0 R 56 0 R 57 0 R 58 0 R 59 0 R 61 0 R 62 0 R 63 0 R 64 0 R 65 0 R 66 0  
R 70 0 R 71 0 R 72 0 R 74 0 R 75 0 R 76 0 R 78 0 R 80 0 R 81 0 R 82 0 R 84 0 R 86 0  
R 87 0 R 88 0 R 89 0 R 90 0 R 92 0 R 93 0 R 95 0 R 96 0 R 98 0 R 99 0 R 101 0 R 102  
0 R 103 0 R 104 0 R 105 0 R 106 0 R 107 0 R 108 0 R 110 0 R 112 0 R 113 0 R 114 0 R  
116 0 R 117 0 R 118 0 R 119 0 R 120 0 R 121 0 R 122 0 R 123 0 R 124 0 R 125 0 R 127  
0 R 128 0 R 129 0 R 131 0 R 132 0 R 134 0 R 135 0 R 136 0 R 137 0 R 138 0 R 140 0 R  
141 0 R 142 0 R 143 0 R 144 0 R 145 0 R 146 0 R 147 0 R 148 0 R 150 0 R 151 0 R 153  
0 R 154 0 R 155 0 R 157 0 R 158 0 R 159 0 R 160 0 R 161 0 R 162 0 R 163 0 R 164 0 R  
165 0 R 166 0 R 168 0 R 169 0 R 170 0 R 171 0 R 173 0 R 174 0 R 175 0 R 176 0 R 177  
0 R 178 0 R 180 0 R 182 0 R 183 0 R 185 0 R]

endobj  
28 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 29 0 R 30 0 R] /Pg 3 0 R>>  
endobj  
29 0 obj  
<</P 28 0 R/S/Span/Type/StructElem/ActualText(?w 鉄自



Nf 穢鋤亂 Jw 鋤 u) /K[ 1] /Pg 3 0 R>>  
endobj  
30 0 obj  
<</P 28 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 2] /Pg 3 0 R>>  
endobj  
31 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 32 0 R 33 0 R] /Pg 3 0 R>>  
endobj  
32 0 obj  
<</P 31 0 R/S/Span/Type/StructElem/ActualText(?N 瞞 1v 則 → ) /K[ 3] /Pg 3 0 R>>  
endobj  
33 0 obj  
<</P 31 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 4] /Pg 3 0 R>>  
endobj  
34 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 35 0 R 36 0 R 37 0 R 38 0 R 39 0 R 40 0 R 41 0 R  
42 0 R 43 0 R 44 0 R 45 0 R 46 0 R 47 0 R 48 0 R 49 0 R 50 0 R 51 0 R 52 0 R 53 0 R  
54 0 R 55 0 R 56 0 R 57 0 R 58 0 R 59 0 R] /Pg 3 0 R>>  
endobj  
35 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?S;u]騙蟲 n 嫩`L:) /K[ 5] /Pg 3 0 R>>  
endobj  
36 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 6] /Pg 3 0 R>>  
endobj  
37 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(? u 鯨亂\ry? ) /K[ 7] /Pg 3 0 R>>  
endobj  
38 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 8] /Pg 3 0 R>>  
endobj  
39 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?0₁ b◀ N 靄\－ 悃嫵`△翻燦 糖) /K[ 9]  
/Pg 3 0 R>>  
endobj  
40 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 10] /Pg 3 0  
R>>  
endobj  
41 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 11>>  
endobj  
42 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?x¶ zv) /K[ 12] /Pg 3 0 R>>  
endobj  
43 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(,) /K[ 13] /Pg 3 0 R>>

```
endobj
44 0 obj
<</P 34 0 R/S/Type/StructElem/ActualText(?g,x¶ zvN:) /K[ 14] /Pg 3 0 R>>
endobj
45 0 obj
<</P 34 0 R/S/Type/StructElem/ActualText(          ) /K[ 15] /Pg 3 0 R>>
endobj
46 0 obj
<</P 34 0 R/S/Type/StructElem/ActualText(?      W 鵬輝\ry?    ) /K[ 16] /Pg 3 0 R>>
endobj
47 0 obj
<</P 34 0 R/S/Type/StructElem/ActualText(          )
/K[ 17] /Pg 3 0 R>>
endobj
48 0 obj
<</P 34 0 R/S/Type/StructElem/ActualText(?糖 v?
```

嬖) /K[ 18] /Pg 3 0 R>>  
endobj  
49 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 19>>  
endobj  
50 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?檣 𠂇 S?→ ) /K[ 20] /Pg 3 0 R>>  
endobj  
51 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 21] /Pg 3 0 R>>  
endobj  
52 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?0𠂇 ) /K[ 22] /Pg 3 0 R>>  
endobj  
53 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?g, x𠂇 zve 筋 H]騙蠅𦵏 0) /K[ 23] /Pg 3  
0 R>>  
endobj  
54 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 24] /Pg 3 0 R>>  
endobj  
55 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(? 0&t- Y 𠂇 X0→ T\ry? ) /K[ 25]  
/Pg 3 0 R>>  
endobj  
56 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 26] /Pg  
3 0 R>>  
endobj  
57 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 27>>  
endobj  
58 0 obj  
<</P 34 0 R/S/Span/Type/StructElem/ActualText(?0&t- Y 𠂇 X0→ [ 8





微圯 N4^缺𐀀 zv0𐀀 ) /K[ 28] /Pg 3 0 R>>

endobj

59 0 obj

<</P 34 0 R/S/Type/StructElem/ActualText( ) /K[ 29] /Pg 3 0 R>>

endobj

60 0 obj

<</P 24 0 R/S/P/Type/StructElem/K[ 61 0 R 62 0 R 63 0 R 64 0 R 65 0 R 66 0 R] /Pg 3 0 R>>

endobj

61 0 obj

<</P 60 0 R/S/Type/StructElem/ActualText(?W\(` ≡ 砒歆/T&S 翻爬贅 yx𐀀 zvNKRM

嫵\\=S 飴艸詞芴嫵 N 鍾

) /K[ 30] /Pg 3 0 R>>

endobj

62 0 obj

<</P 60 0 R/S/Type/StructElem/ActualText(?Q 匚? [僑風錨.R 一匚啞鉗錨 y) /K[ 31]

/Pg 3 0 R>>

endobj

63 0 obj

<</P 60 0 R/S/Type/StructElem/ActualText(?x 匚 zvN 錄萄:0U 墀微圯僥糖 x 匚 zv

xŋ zvv 剖  
^ 廡実腴

S 翻熾 91 zvT

S 飢饉賤『&ev 判蔣』 0 樵机) /K[ 32] /Pg 3 0 R>>

endobj

64 0 obj

<</P 60 0 R/S/Type/StructElem/ActualText(?T 弄\r?0 Y 俅湊』 ?a



`L\_S 嵐罈穴\風翫\^0 g  
S 薈 峽嬭嫫

$b_T \in S; \tilde{u}$  貼珍銘?

^.R 一? /K[ 33] /Pg 3 0 R>>  
endobj  
65 0 obj  
<</P 60 0 R/S/Span/Type/StructElem/ActualText(?PZQ 鶴砢? ) /K[ 34] /Pg 3 0 R>>  
endobj  
66 0 obj  
<</P 60 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 35] /Pg 3 0 R>>  
endobj  
67 0 obj  
<</P 24 0 R/S/L/Type/StructElem/K[ 68 0 R] /Pg 3 0 R>>  
endobj  
68 0 obj  
<</P 67 0 R/S/LI/Type/StructElem/K[ 69 0 R] /Pg 3 0 R>>  
endobj  
69 0 obj  
<</P 68 0 R/S/LBody/Type/StructElem/K[ 70 0 R 71 0 R 72 0 R] /Pg 3 0 R>>  
endobj  
70 0 obj  
<</P 69 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 36>>  
endobj  
71 0 obj  
<</P 69 0 R/S/Span/Type/StructElem/ActualText(?x 醗 zv € 醗 oT 青 醗 zvv 醗? /K[ 37] /Pg 3 0 R>>  
endobj  
72 0 obj  
<</P 69 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 38] /Pg 3 0 R>>  
endobj  
73 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 74 0 R 75 0 R 76 0 R] /Pg 3 0 R>>  
endobj  
74 0 obj  
<</P 73 0 R/S/Span/Type/StructElem/ActualText(1.1) /K[ 39] /Pg 3 0 R>>  
endobj  
75 0 obj  
<</P 73 0 R/S/Span/Type/StructElem/ActualText(?u 醗 醗 b 醗 醗 醗 醗? /K[ 40] /Pg 3 0 R>>  
endobj  
76 0 obj  
<</P 73 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 41] /Pg 3 0 R>>  
endobj  
77 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 78 0 R] /Pg 3 0 R>>  
endobj  
78 0 obj  
<</P 77 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 42] /Pg 3 0 R>>  
endobj  
79 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 80 0 R 81 0 R 82 0 R] /Pg 3 0 R>>

endobj  
80 0 obj  
<</P 79 0 R/S/Span/Type/StructElem/ActualText(1.2) /K[ 43] /Pg 3 0 R>>  
endobj  
81 0 obj  
<</P 79 0 R/S/Span/Type/StructElem/ActualText(?g, xſ zvv 顛? /K[ 44] /Pg 3 0 R>>  
endobj  
82 0 obj  
<</P 79 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 45] /Pg 3 0 R>>  
endobj  
83 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 84 0 R] /Pg 3 0 R>>  
endobj  
84 0 obj  
<</P 83 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 46] /Pg 3 0 R>>  
endobj  
85 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 86 0 R 87 0 R 88 0 R 89 0 R 90 0 R] /Pg 3 0 R>>  
endobj  
86 0 obj  
<</P 85 0 R/S/Span/Type/StructElem/ActualText(1.3) /K[ 47] /Pg 3 0 R>>  
endobj  
87 0 obj  
<</P 85 0 R/S/Span/Type/StructElem/ActualText(?xſ zvS 翻燬 UOMT? /K[ 48] /Pg 3 0 R>>  
endobj  
88 0 obj  
<</P 85 0 R/S/Span/Type/StructElem/ActualText(?榮嬰~硃 eS 聃? /K[ 49] /Pg 3 0 R>>  
endobj  
89 0 obj  
<</P 85 0 R/S/Span/Type/StructElem/ActualText(?€0 端 p) /K[ 50] /Pg 3 0 R>>  
endobj  
90 0 obj  
<</P 85 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 51] /Pg 3 0 R>>  
endobj  
91 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 92 0 R 93 0 R] /Pg 3 0 R>>  
endobj  
92 0 obj  
<</P 91 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 52] /Pg 3 0 R>>  
endobj  
93 0 obj  
<</P 91 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 53] /Pg 3 0 R>>  
endobj  
94 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 95 0 R 96 0 R] /Pg 3 0 R>>  
endobj  
95 0 obj

<</P 94 0 R/S/Type/StructElem/ActualText(?N? T 闕泠窳\r[淪翻熾 q zv) /K[ 54] /Pg  
3 0 R>>  
endobj  
96 0 obj  
<</P 94 0 R/S/Type/StructElem/ActualText( ) /K[ 55] /Pg 3 0 R>>  
endobj  
97 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 98 0 R 99 0 R] /Pg 3 0 R>>  
endobj  
98 0 obj  
<</P 97 0 R/S/Type/StructElem/ActualText(?h9cnN\rT

xㄣ ㄗㄩㄩ 顧函青ㄣ ㄗㄩ 儻 ri 壞[歷風??

) /K[ 56] /Pg 3 0 R>>  
endobj  
99 0 obj  
<</P 97 0 R/S/Type/StructElem/ActualText( ) /K[ 57] /Pg 3 0 R>>  
endobj  
100 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 101 0 R 102 0 R 103 0 R 104 0 R 105 0 R 106 0 R 107  
0 R 108 0 R] /Pg 3 0 R>>  
endobj  
101 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(?S 鋸<sub>T</sub> 徹 g) /K[ 58] /Pg 3 0 R>>  
endobj  
102 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(1) /K[ 59] /Pg 3 0 R>>  
endobj  
103 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(? ) /K[ 60] /Pg 3 0 R>>  
endobj  
104 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(?kcS翻燧v[飡4^妹諳寔則 ← ) /K[ 61]  
/Pg 3 0 R>>  
endobj  
105 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(2) /K[ 62] /Pg 3 0 R>>  
endobj  
106 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(? ) /K[ 63] /Pg 3 0 R>>  
endobj  
107 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText(?x飢 zvN 簣 X 嫗 N:QvN 諷嫗部\r?T N4^妹  
諳寔 0<sub>T</sub> ) /K[ 64] /Pg 3 0 R>>  
endobj  
108 0 obj  
<</P 100 0 R/S/Type/StructElem/ActualText( ) /K[ 65] /Pg 3 0 R>>  
endobj  
109 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 110 0 R] /Pg 3 0 R>>  
endobj  
110 0 obj  
<</P 109 0 R/S/Type/StructElem/ActualText( ) /K[ 66] /Pg 3 0 R>>  
endobj  
111 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 112 0 R 113 0 R 114 0 R] /Pg 3 0 R>>  
endobj  
112 0 obj  
<</P 111 0 R/S/Type/StructElem/ActualText(?N 0 Y俅淪翻熾飢 zv\ - ? 塲PZN縉H  
) /K[ 67] /Pg 3 0 R>>

endobj  
113 0 obj  
<</P 111 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 68] /Pg 3 0 R>>  
endobj  
114 0 obj  
<</P 111 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 69] /Pg 3 0 R>>  
endobj  
115 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 116 0 R 117 0 R 118 0 R 119 0 R 120 0 R 121 0 R 122  
0 R 123 0 R 124 0 R 125 0 R] /Pg 3 0 R>>  
endobj  
116 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/ActualText(1) /K[ 70] /Pg 3 0 R>>  
endobj  
117 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/ActualText(?>>

```
) /K[ 71] /Pg 3 0 R>>
endobj
118 0 obj
<</P 115 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 72] /Pg 3 0 R>>
endobj
119 0 obj
<</P 115 0 R/S/Span/Type/StructElem/ActualText(?W\(^ \equiv e?x¶| zvRM) /K[ 73] /Pg 3 0 R>>
endobj
120 0 obj
<</P 115 0 R/S/Span/Type/StructElem/ActualText(?

```

) /K[ 74] /Pg 3 0 R>>

endobj

121 0 obj

<</P 115 0 R/S/Type/StructElem/ActualText(?S;u\\- 嬾嚨0 嬾\_U`\\削髹?

^v 徽圪) /K[ 75] /Pg 3 0 R>>  
endobj  
122 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 76] /Pg 3  
0 R>>  
endobj  
123 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/ActualText(?h 經?ᵗ ) /K[ 77] /Pg 3 0 R>>  
endobj  
124 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 78] /Pg 3 0 R>>  
endobj  
125 0 obj  
<</P 115 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 79>>  
endobj  
126 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 127 0 R 128 0 R 129 0 R] /Pg 3 0 R>>  
endobj  
127 0 obj  
<</P 126 0 R/S/Span/Type/StructElem/ActualText(?`┘ /T h<v 剋缺 e€

`∠? /K[ 80] /Pg 3 0 R>>

endobj

128 0 obj

<</P 126 0 R/S/Span/Type/StructElem/ActualText(?佻 a?S 翻熾 Ⅱ zv

{~ rw 鎮自



Nf0<sub>1</sub> ) /K[ 81] /Pg 3 0 R>>  
endobj  
129 0 obj  
<</P 126 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 82] /Pg 3 0 R>>  
endobj  
130 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 131 0 R 132 0 R] /Pg 3 0 R>>  
endobj  
131 0 obj  
<</P 130 0 R/S/Span/Type/StructElem/ActualText(?Y 係L\ra?S 翻熾 zv

b◀ N 靄 \- c      ´ \ 剖

a?e 緋? ) /K[ 83] /Pg 3 0 R>>  
endobj  
132 0 obj  
<</P 130 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 84] /Pg 3 0 R>>  
endobj  
133 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 134 0 R 135 0 R 136 0 R 137 0 R 138 0 R] /Pg 3 0  
R>>  
endobj  
134 0 obj  
<</P 133 0 R/S/Span/Type/StructElem/ActualText(2. ) /K[ 85] /Pg 3 0 R>>  
endobj  
135 0 obj  
<</P 133 0 R/S/Span/Type/StructElem/ActualText(?倣`? /K[ 86] /Pg 3 0 R>>  
endobj  
136 0 obj  
<</P 133 0 R/S/Span/Type/StructElem/ActualText(?先 a?S 翻熾 Ⅱ zv) /K[ 87] /Pg 3 0 R>>  
endobj  
137 0 obj  
<</P 133 0 R/S/Span/Type/StructElem/ActualText(?>

\\- c N 錘  
ke 殼微圪 → ) /K[ 88] /Pg 3 0 R>>  
endobj  
138 0 obj  
<</P 133 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 89] /Pg 3 0 R>>  
endobj  
139 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 140 0 R 141 0 R 142 0 R 143 0 R 144 0 R 145 0 R 146  
0 R 147 0 R 148 0 R] /Pg 3 0 R>>  
endobj  
140 0 obj  
<</P 139 0 R/S/Span/Type/StructElem/ActualText(?{€SUS購饅 R- 慚mAz  
0 T<sup>J</sup> l 初認筋H 餵ri → RB 懣0 u 稅  
0 0 u\(\嫻f

T 宸鑑

N 娉 y0 ) /K[ 90] /Pg 3 0 R>>  
endobj  
141 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?儗 riuN 倂襪宐 yS?- ) /K[ 91] /Pg 3  
0 R>>  
endobj  
142 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?應 u\ (v 刼 柸寢菽璠闢 h → uN 倂? )  
/K[ 92] /Pg 3 0 R>>  
endobj  
143 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?uN N→ 嫻 S 飲? /K[ 93] /Pg 3 0 R>>  
endobj  
144 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?0 ) /K[ 94] /Pg 3 0 R>>  
endobj  
145 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?1 鏐寢畱? /K[ 95] /Pg 3 0 R>>  
endobj  
146 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(?{I} /K[ 96] /Pg 3 0 R>>  
endobj  
147 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText(? ) /K[ 97] /Pg 3 0 R>>  
endobj  
148 0 obj  
<</P 139 0 R/S/Type/StructElem/ActualText( ) /K[ 98] /Pg 3 0 R>>  
endobj  
149 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 150 0 R 151 0 R] /Pg 3 0 R>>  
endobj  
150 0 obj  
<</P 149 0 R/S/Type/StructElem/ActualText(?` R0S; 杓微圯 h 繹罇寢珊縱別鯢? k!ep0 1  
鑑

N 娉 y0 ) /K[ 99] /Pg 3 0 R>>  
endobj  
151 0 obj  
<</P 149 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 100] /Pg 3 0 R>>  
endobj  
152 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 153 0 R 154 0 R 155 0 R] /Pg 3 0 R>>  
endobj  
153 0 obj  
<</P 152 0 R/S/Span/Type/StructElem/ActualText(3. ) /K[ 101] /Pg 3 0 R>>  
endobj  
154 0 obj  
<</P 152 0 R/S/Span/Type/StructElem/ActualText(?? 塶`⊙MT v 鳳 vN 誣娉 y) /K[ 102] /Pg  
3 0 R>>  
endobj  
155 0 obj  
<</P 152 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 103] /Pg 3 0 R>>  
endobj  
156 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 157 0 R 158 0 R 159 0 R 160 0 R 161 0 R 162 0 R 163  
0 R 164 0 R 165 0 R 166 0 R] /Pg 3 0 R>>  
endobj  
157 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(?`┘ 體{c S;uT 穴■ 歷剗𠬞穀𩚑?  
/K[ 104] /Pg 3 0 R>>  
endobj  
158 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(?^&w@) /K[ 105] /Pg 3 0 R>>  
endobj  
159 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 106] /Pg 3 0 R>>  
endobj  
160 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(? N ?N:u 𩚑? N\*N? /K[ 107] /Pg 3 0 R>>  
endobj  
161 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(?1 𩚑𩚑𩚑𩚑 a{I ) /K[ 108] /Pg 3  
0 R>>  
endobj  
162 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 109] /Pg 3 0 R>>  
endobj  
163 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 110>>  
endobj  
164 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(?geS;朽\\1 𩚑 相燈?k?

S;uS 飴龕→ 徒 u5 孃 0   v {疊 v 別宮

N 啖鉦\則亞? 07 ` \專弼織^8) /K[ 111] /Pg 3 0 R>>  
endobj  
165 0 obj  
<</P 156 0 R/S/Span/Type/StructElem/ActualText(?懲擲



^vS 菽鯿

[黠?ᵹ ) /K[ 112] /Pg 3 0 R>>

endobj

166 0 obj

<</P 156 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 113] /Pg 3 0 R>>

endobj

167 0 obj

<</P 24 0 R/S/P/Type/StructElem/K[ 168 0 R 169 0 R 170 0 R 171 0 R] /Pg 3 0 R>>

endobj

168 0 obj

<</P 167 0 R/S/Span/Type/StructElem/ActualText(?`𠂇 𠂇{c S;uc

[黠\<𠂇

^v 嫵`厶菽? [ 耄 0XkQ 櫟\刼\r 僊嫵\_U0γ ` 𠂇\ (k 蟪!枌璫 e? /K[ 114] /Pg 3 0 R>>  
endobj

169 0 obj

<</P 167 0 R/S/Type/StructElem/ActualText(?恠\_艫{\_R 徹 g\*u\([寔剝 oriS 蓼 vS 埃

$\hat{v} \backslash -kcW \backslash (g \backslash ru \backslash (v \text{ 胤 } v \text{ 〔 僂 } ori \text{ 〕 } \hat{ge}$

Sb靈𠂇 Qv[儻 ^v) /K[ 115] /Pg 3 0 R>>  
endobj  
170 0 obj  
<</P 167 0 R/S/Span/Type/StructElem/ActualText(?u 𧯛𧯛{~鐫韌\ru\ (v 剝 ori0𠂇 ) /K[ 116]  
/Pg 3 0 R>>  
endobj  
171 0 obj  
<</P 167 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 117] /Pg 3 0 R>>  
endobj  
172 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 173 0 R 174 0 R 175 0 R 176 0 R 177 0 R 178 0 R]  
/Pg 3 0 R>>  
endobj  
173 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/ActualText(?W\ (x𠂇 zvg 囑`𠂇\r€ 𧯛 u\ (1 𧯛? /K[ 118]  
/Pg 3 0 R>>  
endobj  
174 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 119] /Pg 3 0 R>>  
endobj  
175 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/ActualText(?v 𧯛 v[儻 ori0𠂇 Y 𧯛 𧯛𧯛𧯛 Qv[儻?  
/K[ 120] /Pg 3 0 R>>  
endobj  
176 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/Pg 3 0 R/K 121>>  
endobj  
177 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/ActualText(?u?

嫵 N 嫵 HN

`\由;uS 謹栢 T|? ) /K[ 122] /Pg 3 0 R>>  
endobj  
178 0 obj  
<</P 172 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 123] /Pg 3 0 R>>  
endobj  
179 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 180 0 R] /Pg 3 0 R>>  
endobj  
180 0 obj  
<</P 179 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 124] /Pg 3 0 R>>  
endobj  
181 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 182 0 R 183 0 R] /Pg 3 0 R>>  
endobj  
182 0 obj  
<</P 181 0 R/S/Span/Type/StructElem/ActualText(?V? S 翻熾 卍 zV\$ 鈺醋由譚? /K[ 125] /Pg  
3 0 R>>  
endobj  
183 0 obj  
<</P 181 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 126] /Pg 3 0 R>>  
endobj  
184 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 185 0 R] /Pg 3 0 R>>  
endobj  
185 0 obj  
<</P 184 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 127] /Pg 3 0 R>>  
endobj  
186 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 187 0 R 189 0 R 190 0 R] /Pg 14 0 R>>  
endobj  
187 0 obj  
<</P 186 0 R/S/Span/Type/StructElem/ActualText(?Q 檉

` S 𩚑𩚑? /K[ 0] /Pg 14 0 R>>  
endobj  
188 0 obj  
[ 187 0 R 189 0 R 190 0 R 192 0 R 194 0 R 195 0 R 196 0 R 197 0 R 198 0 R 199 0 R 200  
0 R 201 0 R 202 0 R 203 0 R 204 0 R 205 0 R 206 0 R 207 0 R 208 0 R 209 0 R 210 0 R  
212 0 R 214 0 R 215 0 R 217 0 R 218 0 R 219 0 R 220 0 R 221 0 R 223 0 R 224 0 R 225  
0 R 226 0 R 227 0 R 228 0 R 230 0 R 231 0 R 232 0 R 233 0 R 234 0 R 236 0 R 238 0 R  
239 0 R 241 0 R 242 0 R 244 0 R 245 0 R 246 0 R 247 0 R 248 0 R 249 0 R 250 0 R 251  
0 R 252 0 R 253 0 R 255 0 R 256 0 R 258 0 R 260 0 R 261 0 R 262 0 R 264 0 R 265 0 R  
266 0 R 267 0 R 268 0 R 269 0 R 270 0 R 271 0 R 272 0 R 274 0 R 275 0 R 276 0 R 277  
0 R 278 0 R 279 0 R 280 0 R 281 0 R 282 0 R 283 0 R 284 0 R 285 0 R 286 0 R 288 0 R  
290 0 R 291 0 R 293 0 R 294 0 R 295 0 R 297 0 R 298 0 R 299 0 R 300 0 R 301 0 R 303  
0 R 305 0 R 306 0 R 308 0 R 309 0 R 310 0 R 311 0 R 312 0 R 314 0 R 315 0 R 316 0 R  
317 0 R 318 0 R 320 0 R 321 0 R 322 0 R]  
endobj  
189 0 obj  
<</P 186 0 R/S/Type/StructElem/ActualText(?S 𩚑𩚑? /K[ 1] /Pg 14 0 R>>  
endobj  
190 0 obj  
<</P 186 0 R/S/Type/StructElem/ActualText( ) /K[ 2] /Pg 14 0 R>>  
endobj  
191 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 192 0 R] /Pg 14 0 R>>  
endobj  
192 0 obj  
<</P 191 0 R/S/Type/StructElem/ActualText( ) /K[ 3] /Pg 14 0 R>>  
endobj  
193 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 194 0 R 195 0 R 196 0 R 197 0 R 198 0 R 199 0 R 200  
0 R 201 0 R 202 0 R 203 0 R 204 0 R 205 0 R 206 0 R 207 0 R 208 0 R 209 0 R 210 0 R]  
/Pg 14 0 R>>  
endobj  
194 0 obj  
<</P 193 0 R/S/Type/StructElem/ActualText(?\\={ 𩚑𩚑 𩚑 cnc 𩚑:) /K[ 4] /Pg  
14 0 R>>  
endobj  
195 0 obj  
<</P 193 0 R/S/Type/StructElem/ActualText( ) /K[ 5] /Pg 14 0 R>>  
endobj  
196 0 obj  
<</P 193 0 R/S/Type/StructElem/ActualText(?g n 𩚑𩚑

v 削認 H

OF 饒^vN\r€ 龘輯龘鵠■痾? /K[ 6] /Pg 14 0 R>>  
endobj  
197 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/Pg 14 0 R/K 7>>  
endobj  
198 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?g eH0ᳵ g, xᳵ zvb@ 應 u\ (v? /K[ 8]  
/Pg 14 0 R>>  
endobj  
199 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 9] /Pg 14 0  
R>>  
endobj  
200 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?N\_N\r f/1 𪛗? /K[ 10] /Pg 14 0 R>>  
endobj  
201 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 11] /Pg 14 0 R>>  
endobj  
202 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?v 𪛗/N v 別筭?ᳵ ) /K[ 12] /Pg 14 0 R>>  
endobj  
203 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/Pg 14 0 R/K 13>>  
endobj  
204 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?Y? /K[ 14] /Pg 14 0 R>>  
endobj  
205 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 15] /Pg 14 0 R>>  
endobj  
206 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?[鵠\? /K[ 16] /Pg 14 0 R>>  
endobj  
207 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?u 𪛗? /K[ 17] /Pg 14 0 R>>  
endobj  
208 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText(?e 都 H

`△風錚◀ S;u 嬾囀 g S 飪齏穆侵刼 N 鉢初認筭?₁ ) /K[ 18] /Pg 14 0 R>>  
endobj  
209 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 19] /Pg 14 0 R>>  
endobj  
210 0 obj  
<</P 193 0 R/S/Span/Type/StructElem/Pg 14 0 R/K 20>>  
endobj  
211 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 212 0 R] /Pg 14 0 R>>  
endobj  
212 0 obj  
<</P 211 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 21] /Pg 14 0 R>>  
endobj  
213 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 214 0 R 215 0 R] /Pg 14 0 R>>  
endobj  
214 0 obj  
<</P 213 0 R/S/Span/Type/StructElem/ActualText(?N? S 翻熾¶ zvS 飪醋風\r 侄 S 蚌? 樵机 T  
弄\r?0 N\re 筭? /K[ 22] /Pg 14 0 R>>  
endobj  
215 0 obj  
<</P 213 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 23] /Pg 14 0 R>>  
endobj  
216 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 217 0 R 218 0 R 219 0 R 220 0 R 221 0 R] /Pg 14 0  
R>>  
endobj  
217 0 obj  
<</P 216 0 R/S/Span/Type/StructElem/ActualText(?TJw? /K[ 24] /Pg 14 0 R>>  
endobj  
218 0 obj  
<</P 216 0 R/S/Span/Type/StructElem/ActualText(?S 翻熾¶ zvS 飪醋風\r 侄 S 蚌? 樵机 T 弄  
\r?0 N\re 筭?

$\hat{v}f$

xn 垚 f

[駿 vv 刂<sup>J</sup> t- e 筋 H) /K[ 25] /Pg 14 0 R>>  
endobj  
219 0 obj  
<</P 216 0 R/S/Span/Type/StructElem/ActualText(?T 亞鈇醋剂 eP e 筋 H) /K[ 26] /Pg 14 0  
R>>  
endobj  
220 0 obj  
<</P 216 0 R/S/Span/Type/StructElem/ActualText(?0<sub>1</sub> ) /K[ 27] /Pg 14 0 R>>  
endobj  
221 0 obj  
<</P 216 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 28] /Pg 14 0 R>>  
endobj  
222 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 223 0 R 224 0 R 225 0 R 226 0 R 227 0 R 228 0 R]  
/Pg 14 0 R>>  
endobj  
223 0 obj  
<</P 222 0 R/S/Span/Type/StructElem/ActualText(?Y 俵洸\x¶ zvg 囑`≡鷺瘡鷺 UN\r?

b<sub>T</sub> u 色霁製 e 併由豐<sub>T</sub>

b<sub>T</sub> N 鸛 Ua

$Y_T \sim \text{強?}$

N\r{? /K[ 29] /Pg 14 0 R>>

endobj

224 0 obj

<</P 222 0 R/S/Span/Type/StructElem/ActualText(?f/) /K[ 30] /Pg 14 0 R>>

endobj

225 0 obj

<</P 222 0 R/S/Span/Type/StructElem/ActualText(?T&N

x¶ zvg Qs

WG^擲菽鎔→ w 鎔\由;u

N? /K[ 31] /Pg 14 0 R>>

endobj

226 0 obj

<</P 222 0 R/S/Span/Type/StructElem/ActualText(/) /K[ 32] /Pg 14 0 R>>

endobj

227 0 obj

<</P 222 0 R/S/Span/Type/StructElem/ActualText(?Yy\\- [鴿 d0\\Q 鵒\$e 璣 v~貼

?\_Sv 由;u 桥<sup>1</sup> t- 0<sub>1</sub> ) /K[ 33] /Pg 14 0 R>>

endobj

228 0 obj

<</P 222 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 34] /Pg 14 0 R>>

endobj

229 0 obj

<</P 24 0 R/S/P/Type/StructElem/K[ 230 0 R 231 0 R 232 0 R 233 0 R 234 0 R] /Pg 14 0 R>>

endobj

230 0 obj

<</P 229 0 R/S/Span/Type/StructElem/ActualText(?` 𐀀\x9 zvg 囑? 鄣c e 鯨 OS;朽枏  
燈

PZN N 颯經?

僥 N? /K[ 35] /Pg 14 0 R>>

endobj

231 0 obj

<</P 229 0 R/S/Span/Type/StructElem/ActualText(?S`u\(`\`風 N 沛鯽?

N\_) /K[ 36] /Pg 14 0 R>>  
endobj  
232 0 obj  
<</P 229 0 R/S/Span/Type/StructElem/ActualText(?S 飪? /K[ 37] /Pg 14 0 R>>  
endobj  
233 0 obj  
<</P 229 0 R/S/Span/Type/StructElem/ActualText(?~賤 ▀ b† 兂 p 鎳\_T ^&geN\re 筵?\_ )  
/K[ 38] /Pg 14 0 R>>  
endobj  
234 0 obj  
<</P 229 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 39] /Pg 14 0 R>>  
endobj  
235 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 236 0 R] /Pg 14 0 R>>  
endobj  
236 0 obj  
<</P 235 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 40] /Pg 14 0 R>>  
endobj  
237 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 238 0 R 239 0 R] /Pg 14 0 R>>  
endobj  
238 0 obj  
<</P 237 0 R/S/Span/Type/StructElem/ActualText(?Qm0 gQs?u\() /K[ 41] /Pg 14 0 R>>  
endobj  
239 0 obj  
<</P 237 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 42] /Pg 14 0 R>>  
endobj  
240 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 241 0 R 242 0 R] /Pg 14 0 R>>  
endobj  
241 0 obj  
<</P 240 0 R/S/Span/Type/StructElem/ActualText(?TJw 鋤 嫩 e 盪寔初採菩  
N-T 闕汨 9u\ (S 颯 M

T 闕涖 鄧佻] 齋 b?← ) /K[ 43] /Pg 14 0 R>>  
endobj  
242 0 obj  
<</P 240 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 44] /Pg 14 0 R>>  
endobj  
243 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 244 0 R 245 0 R 246 0 R 247 0 R 248 0 R 249 0 R 250  
0 R 251 0 R 252 0 R 253 0 R] /Pg 14 0 R>>  
endobj  
244 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?TJw 鋤 Q 驚痛\r 侄 S 蚝攢?

x¶ zv€ f/T&?b 𪛗<sup>1</sup> t- N\r 𪛗 S 𪛗攙劇 9u\ (T 穴 S 𪛗𪛗穆侵? /K[ 45] /Pg 14 0 R>>  
endobj  
245 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?𪛗 P 0<sub>1</sub> Y? ) /K[ 46] /Pg 14 0 R>>  
endobj  
246 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?S;u\ - \\\=QhR 𪛗𪛗 2T 𪛗 𪛗 𪛗 1N  
𪛗, x¶ zvS 𪛗𪛗&gev 𪛗\$[?<sub>1</sub> Y 𪛗𪛗\ (N4^ 𪛗𪛗-Q? /K[ 47] /Pg 14 0 R>>  
endobj  
247 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?s 𪛗\r 𪛗 N 𪛗?

S;[fN!! [禮訕 X0→ \|- 0→ 挾[歛 vf/T&N

攬 R:b⌊ W 鷗@l 粍梔 orig Qs0⌊ u3R 澱\\- c ) /K[ 48] /Pg 14 0 R>>

endobj

248 0 obj

<</P 243 0 R/S/Span/Type/StructElem/ActualText (?qgb◀ V?\n 儷 riN4^妹諳實\ (懺{ - 壞?)

/K[ 49] /Pg 14 0 R>>

endobj

249 0 obj

<</P 243 0 R/S/Span/Type/StructElem/ActualText (?0

v 剗腫欽鵑

嫌殞 v 鳴 sv 令\_[碍蟪沴初侵劇 9u\ (S 藩? /K[ 50] /Pg 14 0 R>>  
endobj  
250 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?^攙則蟬 N 坊 P ) /K[ 51] /Pg 14 0 R>>  
endobj  
251 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(? ) /K[ 52] /Pg 14 0 R>>  
endobj  
252 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText(?0<sub>1</sub> ) /K[ 53] /Pg 14 0 R>>  
endobj  
253 0 obj  
<</P 243 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 54] /Pg 14 0 R>>  
endobj  
254 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 255 0 R 256 0 R] /Pg 14 0 R>>  
endobj  
255 0 obj  
<</P 254 0 R/S/Span/Type/StructElem/ActualText(?[鵲窩—

e 鯨 ^vv 鯨 vN 謚鯨烏@? v 卦初裙宜經?

\\- N\rW\ (QM?v 剥<sup>L</sup> V 鬘 KQ?γ ) /K[ 55] /Pg 14 0 R>>  
endobj  
256 0 obj  
<</P 254 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 56] /Pg 14 0 R>>  
endobj  
257 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 258 0 R] /Pg 14 0 R>>  
endobj  
258 0 obj  
<</P 257 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 57] /Pg 14 0 R>>  
endobj  
259 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 260 0 R 261 0 R 262 0 R] /Pg 14 0 R>>  
endobj  
260 0 obj  
<</P 259 0 R/S/Span/Type/StructElem/ActualText(?N<sup>L</sup> 0 N\*N 箭醋 ov? /K[ 58] /Pg 14 0 R>>  
endobj  
261 0 obj  
<</P 259 0 R/S/Span/Type/StructElem/ActualText(?0 輻? /K[ 59] /Pg 14 0 R>>  
endobj  
262 0 obj  
<</P 259 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 60] /Pg 14 0 R>>  
endobj  
263 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 264 0 R 265 0 R 266 0 R 267 0 R 268 0 R 269 0 R 270  
0 R 271 0 R 272 0 R] /Pg 14 0 R>>  
endobj  
264 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(?`\\由;u 榆癰 U x¶ zvu 霁? /K[ 61] /Pg  
14 0 R>>  
endobj  
265 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(/CRF) /K[ 62] /Pg 14 0 R>>  
endobj  
266 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(?0 S<sub>T</sub> 殞 SU{I \\- [室 tW00 輻 XW\(`  
└@\\1 嫵 v 由;杓 0<sub>γ</sub> S;u) /K[ 63] /Pg 14 0 R>>  
endobj  
267 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(?0→ \\- S<sub>T</sub> 殞) /K[ 64] /Pg 14 0 R>>  
endobj  
268 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(?T 琮 v[? /K[ 65] /Pg 14 0 R>>  
endobj  
269 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText(?h 纒鋋鯁涑癰 UW\(`\\削 霁 啗\\n0<sub>γ</sub> x¶ zv  
€0 0&t- Y 訢 X0→ T 寢 oT 琮祺 c{ - 攸疊) /K[ 66] /Pg 14 0 R>>

endobj

270 0 obj

<</P 263 0 R/S/Type/StructElem/ActualText(?\- 垧QA嫫g鋁`\\由;u 檣癬U0 N 鸞  
Ug Qsg, 糖 x¶ zv~鯁滂颯l\_ b J\\- N\r0→ b 玢2`\\鼠\*N 鎔? /K[ 67] /Pg 14 0 R>>

endobj

271 0 obj

<</P 263 0 R/S/Type/StructElem/ActualText(?N? b◀N 靄\ - W\ (1 誣嫫A嫫v 剥<sup>L</sup> V  
鬣?

\\=N R  
R 猥汝輕┐ \*N 篠;u 精 De 櫟剝併?┐ ) /K[ 68] /Pg 14 0 R>>  
endobj  
272 0 obj  
<</P 263 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 69] /Pg 14 0 R>>  
endobj  
273 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 274 0 R 275 0 R 276 0 R 277 0 R 278 0 R 279 0 R 280  
0 R 281 0 R 282 0 R 283 0 R 284 0 R 285 0 R 286 0 R] /Pg 14 0 R>>  
endobj  
274 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText(?c qgS;[fx┐] zv0&t-

杢 N 哱\*N 簾併署醋 oY┘

嫌殞 epcn\\- S 颯決 10| g 鐸? /K[ 70] /Pg 14 0 R>>

endobj

275 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?T? /K[ 71] /Pg 14 0 R>>

endobj

276 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?Qq) /K[ 72] /Pg 14 0 R>>

endobj

277 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?N? /K[ 73] /Pg 14 0 R>>

endobj

278 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?

g 鐸? /K[ 74] /Pg 14 0 R>>  
endobj  
279 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText(?T? /K[ 75] /Pg 14 0 R>>  
endobj  
280 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText(?Qq) /K[ 76] /Pg 14 0 R>>  
endobj  
281 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText(?N? /K[ 77] /Pg 14 0 R>>  
endobj  
282 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText(?\\- S 陽 PN 嶠騫?Q~ 翺削 5[Pepcn^?

) /K[ 78] /Pg 14 0 R>>

endobj

283 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?0 輯戥\r) /K[ 79] /Pg 14 0 R>>

endobj

284 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?0→ ) /K[ 80] /Pg 14 0 R>>

endobj

285 0 obj

<</P 273 0 R/S/Span/Type/StructElem/ActualText(?1 薺

N 鸞 UN\*N 簾併罍醋 o0ᵀ ) /K[ 81] /Pg 14 0 R>>  
endobj  
286 0 obj  
<</P 273 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 82] /Pg 14 0 R>>  
endobj  
287 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 288 0 R] /Pg 14 0 R>>  
endobj  
288 0 obj  
<</P 287 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 83] /Pg 14 0 R>>  
endobj  
289 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 290 0 R 291 0 R] /Pg 14 0 R>>  
endobj  
290 0 obj  
<</P 289 0 R/S/Span/Type/StructElem/ActualText(?Qk0 `

h7 兎\_榎門→ v 風醋 o ) /K[ 84] /Pg 14 0 R>>  
endobj  
291 0 obj  
<</P 289 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 85] /Pg 14 0 R>>  
endobj  
292 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 293 0 R 294 0 R 295 0 R] /Pg 14 0 R>>  
endobj  
293 0 obj  
<</P 292 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 86] /Pg 14 0 R>>  
endobj  
294 0 obj  
<</P 292 0 R/S/Span/Type/StructElem/ActualText(?` 厶風錡\ (N 鸞 Ue 鯢鬱蠶鵠 Qsg, 糖  
x飢 zvv 風鸞 U 隴檣

^v\_黍 0v 鴉攙剝鉶 T0<sub>7</sub> ) /K[ 87] /Pg 14 0 R>>  
endobj  
295 0 obj  
<</P 292 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 88] /Pg 14 0 R>>  
endobj  
296 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 297 0 R 298 0 R 299 0 R 300 0 R 301 0 R] /Pg 14 0  
R>>  
endobj  
297 0 obj  
<</P 296 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 89] /Pg 14 0 R>>  
endobj  
298 0 obj  
<</P 296 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 90] /Pg 14 0 R>>  
endobj  
299 0 obj  
<</P 296 0 R/S/Span/Type/StructElem/ActualText(?Y 俅澆\x9 z v 徒 z  
N-g N 鸞 U 懲墀 v 別癘醋 o

S 飪 齣 qT 蚡 𪔐 鐫 鞞 翻 熾 𪔐 zvv 𪔐

a?e?

`\? /K[ 91] /Pg 14 0 R>>  
endobj  
300 0 obj  
<</P 296 0 R/S/Type/StructElem/ActualText(?S;u\|- 0→ S 菽鯨→ w 鯨? ) /K[ 92] /Pg  
14 0 R>>  
endobj  
301 0 obj  
<</P 296 0 R/S/Type/StructElem/ActualText( ) /K[ 93] /Pg 14 0 R>>  
endobj  
302 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 303 0 R] /Pg 14 0 R>>  
endobj  
303 0 obj  
<</P 302 0 R/S/Type/StructElem/ActualText( ) /K[ 94] /Pg 14 0 R>>  
endobj  
304 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 305 0 R 306 0 R] /Pg 14 0 R>>  
endobj  
305 0 obj  
<</P 304 0 R/S/Type/StructElem/ActualText(?N]0 S 風鍋閩??b 翻翻熾 zvT 弄-?? Q  
鵬 zv) /K[ 95] /Pg 14 0 R>>  
endobj  
306 0 obj  
<</P 304 0 R/S/Type/StructElem/ActualText( ) /K[ 96] /Pg 14 0 R>>  
endobj  
307 0 obj  
<</P 24 0 R/S/Type/StructElem/K[ 308 0 R 309 0 R 310 0 R 311 0 R 312 0 R] /Pg 14 0  
R>>  
endobj  
308 0 obj  
<</P 307 0 R/S/Type/StructElem/ActualText( ) /K[ 97] /Pg 14 0 R>>  
endobj  
309 0 obj  
<</P 307 0 R/S/Type/StructElem/ActualText(?f/T&S 翻熾 zv[ 粽 hS 誦研嶺\剖

a?0<sub>1</sub> ` ∠ 嵐鍊襪軸翻蕪 d 糖 x¶ z v

bT W\ (x 𐄂 z v 徒 z

N-v? /K[ 98] /Pg 14 0 R>>

endobj

310 0 obj

<</P 307 0 R/S/Span/Type/StructElem/ActualText(?N 鸞 Ue 鯨鮪 Q 鵲, x 𐄂 z v

僥 怪 N\ r0→ \_qT 蚡—亞;u 囑 v 颯 s|?

怪N\r0→\_qT 蜥鵲\由;u 楸\_T g Qv) /K[ 99] /Pg 14 0 R>>  
endobj  
311 0 obj  
<</P 307 0 R/S/Span/Type/StructElem/ActualText(?N 謊簪 bR\)v 蒲釗\_Y10\_ ) /K[ 100] /Pg  
14 0 R>>  
endobj  
312 0 obj  
<</P 307 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 101] /Pg 14 0 R>>  
endobj  
313 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 314 0 R 315 0 R 316 0 R 317 0 R 318 0 R] /Pg 14 0  
R>>  
endobj  
314 0 obj  
<</P 313 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 102] /Pg 14 0 R>>  
endobj  
315 0 obj  
<</P 313 0 R/S/Span/Type/StructElem/ActualText(?Q 鸞嶽鵲\刼 Y' R\)v 落^ ) /K[ 103] /Pg  
14 0 R>>  
endobj  
316 0 obj  
<</P 313 0 R/S/Span/Type/StructElem/ActualText(?听

S;ub<sub>T</sub> x<sub>q</sub> z<sub>v</sub> ∈ S 飴龔 → W\ (x<sub>q</sub> z<sub>v</sub> 徒 z  
N-柑 e 鯪-kb` 鏑鞞翻? /K[ 104] /Pg 14 0 R>>  
endobj  
317 0 obj  
<</P 313 0 R/S/Span/Type/StructElem/ActualText(?g, 糖 x<sub>q</sub> z<sub>v</sub>0<sub>T</sub> ) /K[ 105] /Pg 14 0 R>>  
endobj  
318 0 obj  
<</P 313 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 106] /Pg 14 0 R>>  
endobj  
319 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 320 0 R 321 0 R 322 0 R] /Pg 14 0 R>>  
endobj  
320 0 obj  
<</P 319 0 R/S/Span/Type/StructElem/ActualText(?Y 俅湊 𠂇部:N 鸞 US 𢇛部𧈧<sub>q</sub> z<sub>v</sub>N-? Q?

`∠飪龍珣鈺韻 Qs` | u\ (嫌殞僊 riv 則亞? Y? /K[ 107] /Pg 14 0 R>>  
endobj  
321 0 obj  
<</P 319 0 R/S/Type/StructElem/ActualText(?g 淪;u 嫗 N:? 鄢

`L\_S 飴龍珣哲 B 微圯[濃櫻 經鋤孫 Sh<h 經?\_ ) /K[ 108] /Pg 14 0 R>>  
endobj  
322 0 obj  
<</P 319 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 109] /Pg 14 0 R>>  
endobj  
323 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 324 0 R] /Pg 16 0 R>>  
endobj  
324 0 obj  
<</P 323 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 0] /Pg 16 0 R>>  
endobj  
325 0 obj  
[ 324 0 R 327 0 R 328 0 R 330 0 R 331 0 R 332 0 R 334 0 R 335 0 R 337 0 R 338 0 R 339  
0 R 340 0 R 341 0 R 342 0 R 344 0 R 345 0 R 346 0 R 347 0 R 348 0 R 349 0 R 351 0 R  
352 0 R 353 0 R 354 0 R 355 0 R 356 0 R 358 0 R 359 0 R 360 0 R 361 0 R 362 0 R 363  
0 R 365 0 R 366 0 R 367 0 R 368 0 R 369 0 R 371 0 R 372 0 R 373 0 R 374 0 R 376 0 R  
377 0 R 379 0 R 380 0 R 381 0 R 382 0 R 384 0 R 385 0 R 386 0 R 390 0 R 391 0 R 392  
0 R 395 0 R 396 0 R 397 0 R 399 0 R 400 0 R 401 0 R 403 0 R 404 0 R 405 0 R 407 0 R  
408 0 R 409 0 R 411 0 R 412 0 R 414 0 R 415 0 R 417 0 R 419 0 R 420 0 R 421 0 R 422  
0 R 423 0 R 424 0 R 425 0 R 426 0 R 427 0 R 428 0 R 429 0 R 430 0 R 431 0 R 432 0 R  
433 0 R 434 0 R 435 0 R 436 0 R 437 0 R 438 0 R 439 0 R 440 0 R 441 0 R 442 0 R 443  
0 R 444 0 R 445 0 R 447 0 R 448 0 R 449 0 R 450 0 R 452 0 R 454 0 R 455 0 R 456 0 R  
458 0 R 460 0 R 461 0 R 462 0 R 463 0 R 464 0 R 465 0 R 466 0 R 467 0 R 468 0 R 469  
0 R 470 0 R 471 0 R 472 0 R 473 0 R 474 0 R 475 0 R 476 0 R 477 0 R 478 0 R 479 0 R  
480 0 R 481 0 R 482 0 R 483 0 R 484 0 R 485 0 R 486 0 R 487 0 R 488 0 R 490 0 R 491  
0 R 492 0 R 493 0 R]  
endobj  
326 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 327 0 R 328 0 R] /Pg 16 0 R>>  
endobj  
327 0 obj  
<</P 326 0 R/S/Span/Type/StructElem/ActualText(?SA0 s 癢\ (嬪 PZN 繡 H ) /K[ 1] /Pg 16  
0 R>>  
endobj  
328 0 obj  
<</P 326 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 2] /Pg 16 0 R>>  
endobj  
329 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 330 0 R 331 0 R 332 0 R] /Pg 16 0 R>>  
endobj  
330 0 obj  
<</P 329 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 3] /Pg 16 0 R>>  
endobj  
331 0 obj  
<</P 329 0 R/S/Span/Type/StructElem/ActualText(?f/T&S 翻樊, 糖 x¶ zvu1`■ 閭? T 穴\ 刑  
榻? Q 硯?\_ ) /K[ 4] /Pg 16 0 R>>  
endobj

332 0 obj

<</P 329 0 R/S/Type/StructElem/ActualText( ) /K[ 5] /Pg 16 0 R>>

endobj

333 0 obj

<</P 24 0 R/S/P/Type/StructElem/K[ 334 0 R 335 0 R] /Pg 16 0 R>>

endobj

334 0 obj

<</P 333 0 R/S/Type/StructElem/ActualText(?W\(`≡ZQ 鷗翻熾 卬 zvv 颯砬畝 M

嫵\\=S 鈺齋◀ 0`v ㄣ;u 嫵囀 g Qs 囀檣 0ᳵ ) /K[ 6] /Pg 16 0 R>>  
endobj  
335 0 obj  
<</P 333 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 7] /Pg 16 0 R>>  
endobj  
336 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 337 0 R 338 0 R 339 0 R 340 0 R 341 0 R 342 0 R]  
/Pg 16 0 R>>  
endobj  
337 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText(?a` 嫵 N 錘\ngPe?ᳵ Y 俅湊≡硯厥翻熨,  
糖 xᳵ zv

嫵 TJ 嬌 \ ㄔ;u

N? /K[ 8] /Pg 16 0 R>>  
endobj  
338 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText(/) /K[ 9] /Pg 16 0 R>>  
endobj  
339 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText(?Yy0→ N: ` 𐀀 塩 𐀀 ) /K[ 10] /Pg 16 0 R>>  
endobj  
340 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText(?R  
g Qsx𐀀 zvv 風 𐀀 ) /K[ 11] /Pg 16 0 R>>  
endobj  
341 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText(?𐀀 | 𐀀 Y 𐀀 N 𐀀 De?𐀀 ) /K[ 12] /Pg 16  
0 R>>  
endobj  
342 0 obj  
<</P 336 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 13] /Pg 16 0 R>>  
endobj  
343 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 344 0 R 345 0 R 346 0 R 347 0 R 348 0 R 349 0 R]  
/Pg 16 0 R>>  
endobj  
344 0 obj  
<</P 343 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 14] /Pg 16 0 R>>  
endobj  
345 0 obj  
<</P 343 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 15] /Pg 16 0 R>>  
endobj  
346 0 obj  
<</P 343 0 R/S/Span/Type/StructElem/ActualText(?w 𐀀 𐀀



Nf) /K[ 16] /Pg 16 0 R>>

endobj

347 0 obj

<</P 343 0 R/S/Type/StructElem/ActualText(.) /K[ 17] /Pg 16 0 R>>

endobj

348 0 obj

<</P 343 0 R/S/Type/StructElem/ActualText(?T



{~[W 楷) /K[ 18] /Pg 16 0 R>>  
endobj  
349 0 obj  
<</P 343 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 19] /Pg 16 0 R>>  
endobj  
350 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 351 0 R 352 0 R 353 0 R 354 0 R 355 0 R 356 0 R]  
/Pg 16 0 R>>  
endobj  
351 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/ActualText(?N4^缺¶ zv 糖 v 頤\ry?→ ) /K[ 20] /Pg  
16 0 R>>  
endobj  
352 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 21] /Pg 16 0 R>>  
endobj  
353 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 22]  
/Pg 16 0 R>>  
endobj  
354 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 23] /Pg 16 0 R>>  
endobj  
355 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 24] /Pg 16 0 R>>  
endobj  
356 0 obj  
<</P 350 0 R/S/Span/Type/StructElem/Pg 16 0 R/K 25>>  
endobj  
357 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 358 0 R 359 0 R 360 0 R 361 0 R 362 0 R 363 0 R]  
/Pg 16 0 R>>  
endobj  
358 0 obj  
<</P 357 0 R/S/Span/Type/StructElem/ActualText(?嫗槁 b b 霁 UOM) /K[ 26] /Pg 16 0 R>>  
endobj  
359 0 obj  
<</P 357 0 R/S/Span/Type/StructElem/ActualText(:) /K[ 27] /Pg 16 0 R>>  
endobj  
360 0 obj  
<</P 357 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 28]  
/Pg 16 0 R>>  
endobj  
361 0 obj  
<</P 357 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 29] /Pg 16 0 R>>  
endobj  
362 0 obj

<</P 357 0 R/S/Type/StructElem/ActualText( ) /K[ 30] /Pg 16 0 R>>  
 endobj  
 363 0 obj  
 <</P 357 0 R/S/Type/StructElem/Pg 16 0 R/K 31>>  
 endobj  
 364 0 obj  
 <</P 24 0 R/S/P/Type/StructElem/K[ 365 0 R 366 0 R 367 0 R 368 0 R 369 0 R] /Pg 16 0  
 R>>  
 endobj  
 365 0 obj  
 <</P 364 0 R/S/Type/StructElem/ActualText(?雙嶋 S00\\SUOM → ) /K[ 32] /Pg 16 0  
 R>>  
 endobj  
 366 0 obj  
 <</P  
 364  
 0  
 R/S/Type/StructElem/ActualText(  
 ) /K[ 33] /Pg 16 0 R>>  
 endobj  
 367 0 obj  
 <</P 364 0 R/S/Type/StructElem/ActualText( ) /K[ 34] /Pg 16 0 R>>  
 endobj  
 368 0 obj  
 <</P 364 0 R/S/Type/StructElem/ActualText( ) /K[ 35] /Pg 16 0 R>>  
 endobj  
 369 0 obj  
 <</P 364 0 R/S/Type/StructElem/Pg 16 0 R/K 36>>  
 endobj  
 370 0 obj  
 <</P 24 0 R/S/P/Type/StructElem/K[ 371 0 R 372 0 R 373 0 R 374 0 R] /Pg 16 0 R>>  
 endobj  
 371 0 obj  
 <</P 370 0 R/S/Type/StructElem/ActualText(?雙嶋 N 鷗 f ⊥ S?→ ) /K[ 37] /Pg 16 0  
 R>>  
 endobj  
 372 0 obj  
 <</P  
 370  
 0  
 R/S/Type/StructElem/ActualText(  
 )  
 /K[ 38] /Pg 16 0 R>>  
 endobj  
 373 0 obj  
 <</P 370 0 R/S/Type/StructElem/ActualText( ) /K[ 39] /Pg 16 0 R>>  
 endobj  
 374 0 obj  
 <</P 370 0 R/S/Type/StructElem/Pg 16 0 R/K 40>>  
 endobj  
 375 0 obj  
 <</P 24 0 R/S/P/Type/StructElem/K[ 376 0 R 377 0 R] /Pg 16 0 R>>

endobj

376 0 obj

<</P 375 0 R/S/Span/Type/StructElem/ActualText(?T



X 餵

) /K[ 41] /Pg 16 0 R>>

endobj

377 0 obj

<</P 375 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 42] /Pg 16 0 R>>

endobj

378 0 obj

<</P 24 0 R/S/P/Type/StructElem/K[ 379 0 R 380 0 R 381 0 R 382 0 R] /Pg 16 0 R>>

endobj

379 0 obj

<</P 378 0 R/S/Span/Type/StructElem/ActualText(?b◀ ]騙蠟爛N咱\n 价 g Qsg,x¶ zvv  
風藕?

€

$N\eta \ g \ g:0 \rightarrow \backslash \backslash 1kd \text{ 糖 } x\eta \ zvN$

S;u 嬭嫗^vc 蠶鸛? /K[ 43] /Pg 16 0 R>>  
endobj  
380 0 obj  
<</P 378 0 R/S/Span/Type/StructElem/ActualText(?塢0ᵀ b◀ c 蠶鸛剛@g 隴塢慄\_? /K[ 44]  
/Pg 16 0 R>>  
endobj  
381 0 obj  
<</P 378 0 R/S/Span/Type/StructElem/ActualText(?RON 皖醯

v 勢 TY\r0 ) /K[ 45] /Pg 16 0 R>>  
endobj  
382 0 obj  
<</P 378 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 46] /Pg 16 0 R>>  
endobj  
383 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 384 0 R 385 0 R 386 0 R] /Pg 16 0 R>>  
endobj  
384 0 obj  
<</P 383 0 R/S/Span/Type/StructElem/ActualText(?b w 錫 SS 翻熨, x 飪 飪 飪 v 勢 蝨 iT  
亞 譚? b w 銑 SS 翻熾 飪 zvf/ 飪 a?v?

b◀ xn 嬭] 駟 ) /K[ 47] /Pg 16 0 R>>  
endobj  
385 0 obj  
<</P 383 0 R/S/Span/Type/StructElem/ActualText(?QE 嵒 e 鯽鬧鵠 d 微圯 € 厶 㗗

€

Nf f

v} → ) /K[ 48] /Pg 16 0 R>>  
endobj  
386 0 obj  
<</P 383 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 49] /Pg 16 0 R>>  
endobj  
387 0 obj  
<</P 24 0 R/S/L/Type/StructElem/K[ 388 0 R 393 0 R] /Pg 16 0 R>>  
endobj  
388 0 obj  
<</P 387 0 R/S/LI/Type/StructElem/K[ 389 0 R] /Pg 16 0 R>>  
endobj  
389 0 obj  
<</P 388 0 R/S/LBody/Type/StructElem/K[ 390 0 R 391 0 R 392 0 R] /Pg 16 0 R>>  
endobj  
390 0 obj  
<</P 389 0 R/S/Span/Type/StructElem/Pg 16 0 R/K 50>>  
endobj  
391 0 obj  
<</P 389 0 R/S/Span/Type/StructElem/ActualText(?b◀ S 鯢鯢巡鯢◀ S;uT▼ 缺鬥→ v 風醋 o0γ )  
/K[ 51] /Pg 16 0 R>>  
endobj  
392 0 obj  
<</P 389 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 52] /Pg 16 0 R>>  
endobj  
393 0 obj  
<</P 387 0 R/S/LI/Type/StructElem/K[ 394 0 R] /Pg 16 0 R>>  
endobj  
394 0 obj  
<</P 393 0 R/S/LBody/Type/StructElem/K[ 395 0 R 396 0 R 397 0 R] /Pg 16 0 R>>  
endobj  
395 0 obj  
<</P 394 0 R/S/Span/Type/StructElem/Pg 16 0 R/K 53>>  
endobj  
396 0 obj  
<</P 394 0 R/S/Span/Type/StructElem/ActualText(?b◀ S 鯢鯢巡鯢 Q 鵠, x¶ zv

€

$$N\backslash r0\rightarrow S\text{ 識 }0\text{kg 壠 }b_{\top}b\backslash r$$

S;u 梔 厥 GN

gCv 葡\r0→ S 識 0\_qT?\_ ) /K[ 54] /Pg 16 0 R>>  
endobj  
397 0 obj  
<</P 394 0 R/S/Span/Type/StructElem/ActualText( ) /K[ 55] /Pg 16 0 R>>  
endobj  
398 0 obj  
<</P 24 0 R/S/P/Type/StructElem/K[ 399 0 R 400 0 R 401 0 R] /Pg 16 0 R>>  
endobj  
399 0 obj  
<</P 398 0 R/S/Span/Type/StructElem/ActualText(?b◀ T

h7niZ

Y 俅浸◀ N-?? Q 鵬꠆ zv

ryR+f/u1N 毘 oriv 由焔郎 b◀ ? Q 鷗 𐄂 zve?

b◀ 傲) /K[ 56] /Pg 16 0 R>>

endobj

400 0 obj

<</P 398 0 R/S/Span/Type/StructElem/ActualText(?\\- b◀ v 削色霏豐\_TJ 嬌S;u

[宐+ v 鴉攙風 Sh<h 經鋤寇- S\_T h 經?